UNITED STATES DISTRICT COURT FOR THE DISTRICT OF COLUMBIA

PUBLIC INTEREST LEGAL FOUNDATION, INC.,

Plaintiff,

v.

Civil Action No. 1:21-03180-ACR

MONICA HOLMAN EVANS, in her official capacity as Executive Director of the District of Columbia Board of Elections

Defendant.

STIPULATED ORDER

1. This Stipulated Order ("Order") is entered into by and between Plaintiff Public Interest Legal Foundation, Inc., and Executive Director Monica Holman Evans (collectively, "the Parties").

BACKGROUND

2. On June 24, 2021, Plaintiff requested the following two categories of records (together, the "Requested Records") from Defendant pursuant to Section 8(i)(1) of the National Voter Registration Act of 1993 ("NVRA"), 52 U.S.C. § 20507(i)(1)¹ (the "Request"):

¹ NVRA Section 8(i)(1) provides, "Each State shall maintain for at least 2 years and shall make available for public inspection and, where available, photocopying at a reasonable cost, all records concerning the implementation of programs and activities conducted for the purpose of ensuring the accuracy and currency of official lists of eligible voters, except to the extent that such records relate to a declination to register to vote or to the identity of a voter registration agency through which any particular voter is registered."

- a. All "ERIC Data" received from ERIC² during the years 2019, 2020, and
 2021 concerning registered voters identified as deceased or potentially deceased ("ERIC Reports").
- b. All reports and/or statewide-voter-registration-system-generated lists showing all registrants removed from the list of eligible voters for reason of death for the years 2019, 2020, and 2021 ("Deceased Cancellation Reports").
- 3. Defendant denied the Request for the ERIC Reports.
- 4. Defendant granted in part and denied in part the Request as it related to the second category of records, providing a list of former registrants removed from the District of Columbia's voter roll for the reason of death during the period January 1, 2019 June 29, 2021, but withholding voter identification numbers and dates of birth on the grounds that D.C. law (3 D.C.M.R. § 510.5) prohibits disclosure of that information.
- 5. On December 6, 2021, Plaintiff filed this action against Defendant (the "Litigation").
- 6. Defendant denies liability for the cause of action Plaintiff asserts in the Litigation.
- 7. The Parties have negotiated in good faith and now jointly execute and submit this Order to resolve the Litigation.

2

² "ERIC" is the Electronic Registration Information Center.

JURISDICTION

8. This Court has jurisdiction over this matter, pursuant to 28 U.S.C. § 1331 and 52 U.S.C. § 20510.

APPLICABILITY

9. The terms of this Order shall apply to the Parties and their respective successors and assigns.

TERMS AND CONDITIONS

General Terms and Conditions

- 10. The Parties to this Order are Plaintiff and Defendant. Except as to the release provision in Paragraph 22 below, nothing in this Order shall be construed to make any other person or entity not executing this Order a third-party beneficiary to this Order.
- 11. Each undersigned representative of the Parties to this Order certifies that he or she is fully authorized by the party to enter into and execute the terms and conditions of this Order and to legally bind such party to this Order.
 - 12. This Order is the entire agreement between the Parties.
- 13. This Order may be executed in any number of counterpart originals, each of which shall be deemed to constitute an original agreement, and all of which shall constitute one agreement. The execution of one counterpart by any party shall have the same force and effect as if that party had signed all other counterparts.
- 14. This Order is governed by, and interpreted according to, the laws of the District of Columbia without regard to conflict of laws principles.

- 15. The Parties represent that prior to signing this Order, each has read it, understood its terms and conditions, consulted with counsel, and voluntarily signed it.
 - 16. "ERIC Report Key" means the document attached hereto as Exhibit A.

Terms Governing Production of Records

17. ERIC Reports

- a. Defendant shall provide to Plaintiff the 2021 ERIC Reports, which shall include all data described in columns 1 through 49 of the ERIC Report Key.
- b. Defendant may redact the voter identification number in columns 11 and 12, only if the voter identification number reveals the source of registration.
- c. Defendant shall redact the data from the Social Security Administration in columns 50 through 58 of the ERIC Report Key.
- d. Plaintiff shall forgo and dismiss its claim for date of birth information with respect to the Requested Records.

Terms Governing Time for Production and Future Requests

- 18. Defendant shall provide the ERIC Reports described above to Plaintiff within forty-five (45) days of the date this Order is issued by the Court.
- 19. In the event Plaintiff requests ERIC Reports or Deceased Cancellation Reports from Defendant in the future pursuant to NVRA Section 8(i), Defendant shall provide the records to Plaintiff in accordance with the terms of this Order and as described below, unless Defendant determines that the law governing disclosure has changed. For future requests and absent Defendant's determination that the law governing disclosure has changed, Defendant will disclose an ERIC Report in the following way:

- a. For ERIC Reports for which three calendar years have passed since the latest date of death noted in the report, Defendant shall produce the ERIC Report with no redactions, except to the extent necessary to protect the source of registration.
- b. Otherwise, Defendant will disclose the requested ERIC Report in the same manner as the 2021 ERIC Reports noted above.

ATTORNEY'S FEES, COSTS, AND EXPENSES

20. Within sixty (60) days of the date this Order is entered by the Court, Defendant shall pay to Plaintiff twenty-thousand dollars (\$20,000) as compensation for the attorney's fees, costs, and expenses the Plaintiff incurred in the prosecution of the Litigation. *See* 52 U.S.C. 20510(c).

RETENTION OF JURISDICTION

21. This Court retains jurisdiction to enforce the disclosure of the 2021 ERIC Reports under the terms of this Order.

RELEASE AND DISMISSAL

- 22. Upon entering this Order, the Plaintiff shall release Defendant, and her respective successors and assigns and any other District of Columbia agencies or officials, from any claims arising from the conduct related to the Litigation.
- 23. This Order constitutes a full settlement of and shall resolve all claims made by Plaintiff against Defendant in this Litigation. Upon entry of this Order, the Parties agree that this action shall be dismissed. Plaintiff shall file a joint stipulation of dismissal under

Fed. R. Civ. P. 41(a)(1)(A)(ii) within fourteen (14) days of Defendant producing the 2021 ERIC Reports to Plaintiff under the terms of this Order.

For the Plaintiff: Public Interest Legal Foundation, Inc.

/s/ Noel. H. Johnson	2/14/2024
Noel H. Johnson	Date
Counsel for Public Interest Legal Foundation, Inc.	

For the Defendant: Executive Director Monica Holman Evans			
/s/Monica Holman Evans	<u>2/14/2024</u> Date		
Approved as to Form:			
/s/ Aaron Finkhousen Aaron Finkhousen Assistant Attorney General	<u>2/15/2024</u>		

This	Stipulate	d Order	is issued	this 20th	day of I	February, 2	024.

ANA C. REYES
United States District Judge

DECEASED REPORT FORMAT

The report provides information about matches between your voter and the Social Security Administration's Death Master Index (SSDM).

The primary filter for this report is \dots

REF_SCORE MATCH_SCORE

STATUS_CODE = (A)ctive or (I)nactive voter record matched with an (A)ctive Social Security Death Master record

1 STATE_CODE	Column #	Name	Туре	Lenath	Description
2 NOTICE_ID BIGNT 8 The unique ID assigned to this notification 1 News** DECEASED* for this report. 4 REF_SCORE SMALLINI 2 The pot on folification: Always** DECEASED* for this report. 5 ERRULE CODE VARCHAR 25 A reference score to help rank the strength of the match between the two primary records or the practice with the strength of the match between the two primary records are suspected and should be further researched before being acter upon the practice of the practice o					•
3 NOTICE_CODE VARCHAR 25 STHE type of notification: Always 'DECEASED' for this report. 4 REF_SCORE SMALLINIT 2 A code that describes what fields matched. 5 ERRULE_CODE VARCHAR 50 A code that describes what fields matched. 6 MATCH_KEY VARCHAR 50 A combination of codes that describe what fields matched. 7 MATCH_KEY VARCHAR 50 A combination of codes that describe what fields matched. 8 LATER_ACT_FLAG INTEGER 4 This flag will be 1 if the voter's last activity date is later than the date of death. These matches are suspect and should be further researched before being acter upon. The next three fields and the VTR_group of fields provide information on your voter that has been matched. The semanthes are suspect and should be further researched before being acter upon. The next three fields and the VTR_group of fields provide information on your voter that has been matched. The semanthes are suspect and should be further researched before being acter upon. The next three fields and the VTR_group of fields provide information on your voter that has been matched. The semanthes are suspect and should be further researched before being acter upon. The next three fields and the VTR_group of fields provide information on your voter that has been matched. The semanthes are suspect and should be further researched before being acter upon. The next three fields and the VTR_group of fields provide information of your voter for your VOITER file, "state_codes" VTR. This is the data source for your VOITER file, "state_codes" VTR. This is the data source for your VOITER file, "state_codes" VTR. This is all your voter ID The vTR_SCR_CODE	2	_			•
4 REF_SCORE SMALLINT 2 A reference score to help rank the strength of the match 5 ERRULE CODE VARCHAR 25 A combination of codes that describe what fields matched. 7 MATCH_SCORE DECIMAL 6 A match score to help rank the strength of the match between the two primary records are consistent to the match between the two primary records. 8 LATER_ACT_FLAG INTEGER 4 This flag will be 1 if the voter's last activity date is later than the date of death. These matches are suspect and should be further researched before being acted upon. 7 MATCH_SCORE 1 VARCHAR 25 This is the data source for your VOTER flie, -state codes_VR. 7 The next three fields and the VTR_group of fields provide information on your voter that has been matched. 8 DSRC_CODE1 VARCHAR 25 This is the data source for your VOTER flie, -state codes_VR. 11 ENT_SRC_KEY1 VARCHAR 25 This will always be "VOTER" for its report to the unique key to your voter record upon. 13 VTR_COUNTY UARCHAR 25 This will always be "VOTER" for its report to state unique key to your voter record upon. 14 VTR_COUNTY UD VARCHAR 25 This is a grouping for voters such as Military, passed from source voter record varchars 15 VTR_VOTER_GROUP VARCHAR 25 This is a grouping for voters such as Military, passed from source voter record varchars 10 The original registration date for the VOTER record varchars 10 The last activity date of the VOTER record varchars 10 The last activity date of the VOTER record varchars 10 The last activity date of the VOTER record varchars 10 The last activity date of the VOTER record varchars 10 The last activity date of the VOTER record varchars 10 The last activity date of the VOTER record varchars 10 The last activity date of the VOTER record varchars 10 The last activity date of the VOTER record varchars 10 The last vote date of the voter record varchars 10 The last vote date of the voter record varchars 10 The last vote date of the voter record varchars 10 The last vote date of the voter record varchars 10 The last vote date of the voter record varchar		<u> </u>			· · · · · · · · · · · · · · · · · · ·
5 ERRULE_CODE VARCHAR 25 A code that describes what fields matched. **A match score to help rank the strength of the match between the two primary records** 7 MATCH_KEY VARCHAR 50 A combination of codes that describe what fields matched. **The mext three fields and the VTR_group of fields provide information on your voter that has been matched to possible or the provide information on your voter that has been matched to possible or the provide information on your voter that has been matched to possible or the provide information on your voter that has been matched to possible or the provide information on your voter that has been matched to possible or the provide information on your voter that has been matched to possible or the provide information on your voter that has been matched to possible or the provide information on your voter that has been matched to possible or the provide information on your voter that has been matched to possible or the provide information on your voter that has been matched to possible or the provide information on your voter that has been matched to possible or the provide information on your voter that has been matched to provide information on your voter that has been matched to provide information on your voter that has been matched to provide information on your voter that has been matched to provide information on your voter that has been matched to provide information on your voter that has been matched to provide information on your voter that has been matched to provide information on your voter that has been matched to provide information on your voter that has been matched to provide information on your voter that has been matched in this provide information on your voter that has been matched in this provide information on your voter that has been matched in this provide information on your voter that has been matched and your voter that has been matched and your your your your your your your your		<u> </u>			·
6 MATCH_SCORE DECIMAL 6 A match score to help rank the strength of the match between the two primary records 7 MATCH_KEY VARCHAR 50 A combination of codes that describe what fields matched. The next three fields and the VTR_group of fields provide information on your voter that has been matched 9 DSRC_CODE1 VARCHAR 9 DSRC_CODE1 VARCHAR 9 DSRC_CODE1 VARCHAR 25 This is the data source for your VOTER file, -statle_code>_VR. This Wall always be "VOTER" file -statle_code>_VR. This Wall always be "VOTER" file -statle_code>_VR. This will always be "VOTER" file -statle_code>_VR. This is the during will be view of the worth record. The very code of the worth record. The very code of the voter record. The very code of the voter record. The least activity date of the VOTER file, -statle_code>_VR. The last activity work of Code-coded. This report only includes A-Active. The leas		_			
7 MATCH_KEY VARCHAR 50 A combination of codes that describe what fields matched. 8 LATER_ACT_FLAG INTEGER 4 This flag will be 1 if the voter's last activity date is later than the date of death, These matches are suspect and should be further researched before being acted upon. 7 The next three fields and the VTR_group of fields provide information on your voter that has been matched 9 DSRC_CODE1 VARCHAR 25 This swill always be "VOTER." for this report 11 ENT_SRC_KEY1 VARCHAR 25 This swill always be "VOTER." for this report 12 VTR_VOTER_ID VARCHAR 25 This swill always be "VOTER." for this report 13 VTR_COUNTY VARCHAR 25 This swill always be "VOTER." for this report 14 VTR_COUNTY VARCHAR 25 This swill always be "VOTER." for this report 15 VTR_VOTER_ID VARCHAR 25 This swill always be "VOTER." for this report 16 VTR_STATUS_CODE VARCHAR 25 This swill always be "VOTER." for this report 16 VTR_STATUS_CODE CHARACTER 1 Acounty ID, usually only for bottom up states. 17 VTR_REG_DATE VARCHAR 25 This is a grouping for voters such as Millary, passed from source voter record 18 VTR_LAST_ACT_DATE VARCHAR 10 The original registation date for the VOTER record 19 VTR_LAST_NAME VARCHAR 30 The last sactivity date of the VOTER record 20 VTR_LAST_NAME VARCHAR 30 The last sactivity date of the VOTER record 21 VTR_MANE_PREFIX VARCHAR 30 Middle name 22 VTR_MANE_SUFFIX VARCHAR 30 Middle name 23 VTR_NAME_PREFIX VARCHAR 10 Residential address line 1 24 VTR_RES_FROM_DATE VARCHAR 10 Residential address line 2 25 VTR_RES_FROM_DATE VARCHAR 10 Residential address line 2 26 VTR_RES_ADDR3 VARCHAR 10 Residential address line 3 27 VTR_MAL_DADR2 VARCHAR 10 Residential address line 3 28 VTR_MAL_DADR3 VARCHAR 10 Residential address line 3 39 VTR_MAL_DADR3 VARCHAR 10 Residential address line 1 30 VTR_MAL_DADR3 VARCHAR 10 Residential address line 2 30 VTR_MAL_DADR3 VARCHAR 10 Residential address line 1 31 VTR_RES_ZIPC_CODE VARCHAR 10 Residential address line 2 32 VTR_MAL_DADR3 VARCHAR 10 Residential address line 2 34 VTR_MAL_DADR3 VARCHAR 10 Resident		-			
The next three fields and the VTR_group of fields provide information on your voter that has been matched.					
These matches are suspect and should be further researched before being acted upon. The next three fields and the VTR_group of fields provide information on your voter that has been matched SDRC_CODE1 VARCHAR 25 This is the data source for your VOTER file, *state_code>_VR. This In Part As source for your VOTER file, *state_code>_VR. This In Part As source for your VOTER file, *state_code>_VR. This In Part As source for your VOTER file, *state_code>_VR. This In Part As source for your voter record, usually the voter ID VARCHAR 25 This In Part In VOTER for this report The Country ID VARCHAR 25 The VOTER (For this report The Country ID VARCHAR 25 The VOTER (For this report only includes Associated from source voter record The VTR_COUNTY ID VARCHAR 25 This Is a grouping for voters such as Milliary, passed from source voter record The VTR_STATUS_CODE CHARACTER 1 The International Part In	7	MATCH_KEY	VARCHAR	50	
These matches are suspect and should be further researched before being acted upon. The next three fields and the VTR_group of fields provide information on your voter that has been matched SDRC_CODE1 VARCHAR 25 This is the data source for your VOTER file, *state_code>_VR. This In Part As source for your VOTER file, *state_code>_VR. This In Part As source for your VOTER file, *state_code>_VR. This In Part As source for your VOTER file, *state_code>_VR. This In Part As source for your voter record, usually the voter ID VARCHAR 25 This In Part In VOTER for this report The Country ID VARCHAR 25 The VOTER (For this report The Country ID VARCHAR 25 The VOTER (For this report only includes Associated from source voter record The VTR_COUNTY ID VARCHAR 25 This Is a grouping for voters such as Milliary, passed from source voter record The VTR_STATUS_CODE CHARACTER 1 The International Part In					
Description Process	8	LATER_ACT_FLAG	INTEGER	4	·
Post Code VARCHAR So This is the data source for your VOTER file, "state_code>_VR.					·
9 DSRC_CODE1 VARCHAR 25 This is the data source for your VOTER flie, <state_code>_VR. 10 ETYPE_CODE1 VARCHAR 25 This will always be VOTER* for this report 11 ENT_SRC_KEY1 VARCHAR 25 This will always be VOTER* for this report 12 VTR_VOTER_ID VARCHAR 25 This will always be VOTER* for this report 13 VTR_COUNTY VARCHAR 25 This will always be VOTER* for this report 14 VTR_COUNTY_ID VARCHAR 25 The county the voter is registered in, passed from source voter record 15 VTR_VOTER_GROUP VARCHAR 25 This is a grouping for voters such as Military, passed from source voter record 16 VTR_STATUS_CODE CHARACTER 1 The original registration date for the VOTER record 17 VTR_REG_DATE VARCHAR 10 The last activity date of the VOTER record 18 VTR_LAST_ACT_DATE VARCHAR 10 The last activity date of the VOTER record 19 VTR_LAST_VOTE_DATE VARCHAR 10 The last activity date of the VOTER record 20 VTR_LAST_NAME VARCHAR 50 Last name 21 VTR_RINDLE_NAME VARCHAR 50 Middle name 22 VTR_MIDDLE_NAME VARCHAR 50 Middle name 23 VTR_NAME_PREFIX VARCHAR 25 Name suffix (JR_SR_III, etc.) 24 VTR_NAME_SUFFIX VARCHAR 25 Name suffix (JR_SR_III, etc.) 25 VTR_RES_ADDR1 VARCHAR 10 Residential address line 1 26 VTR_RES_ADDR2 VARCHAR 10 Residential address line 2 27 VTR_RES_ADDR2 VARCHAR 10 Residential address line 1 28 VTR_RES_ADDR2 VARCHAR 10 Residential address line 2 29 VTR_RES_ZIPC_DE VARCHAR 4 Residential 2IP plus-four code 30 VTR_RES_ZIPC_DE VARCHAR 4 Residential 2IP plus-four code 31 VTR_RES_ZIPC_DE VARCHAR 10 Mailing address line 1 32 VTR_MAIL_FROM_DATE VARCHAR 10 Mailing address line 1 33 VTR_MAIL_ADDR1 VARCHAR 10 Mailing address line 1 34 VTR_MAIL_IPC_VARCHAR 10 Mailing address line 1 35 VTR_MAIL_ADDR2 VARCHAR 10 Mailing address line 1 36 VTR_MAIL_IPC_DE VARCHAR 10 Mailing address line 1 37 VTR_MAIL_IPC_DE VARCHAR 10 Date the remail address became applicable 48 VTR_PHONE_MUN VARCHAR 10 Date the remail address line 2 49 VTR_MAIL_IPC_DE VARCHAR 10 Date the remail address line 3 40 VTR_MAIL_IPC_DE VARCHAR 10 Date the remail address line 3 40 VTR_MAIL_IPC_DE</state_code>	The next	three fields and the VTR gro	up of fields pro	vide inf	
11 ETYPE_CODE1					-
11 ENT_SRC_KEY1 VARCHAR 250 This is the unique key to your voter record, usually the voter ID 12 VTR_VOTER_ID VARCHAR 50 The county the voter is registered in, passed from source voter record 14 VTR_COUNTY_ID VARCHAR 25 This is a grouping for voter such as Millitary, passed from source voter record 15 VTR_VOTER_GROUP VARCHAR 25 This is a grouping for voter such as Millitary, passed from source voter record 16 VTR_STATUS_CODE CHARACTER 1 A=Active, l=Inactive or C=Canceled. This report only includes A=Active. 17 VTR_REG_DATE VARCHAR 10 The last activity date of the VOTER record 18 VTR_LAST_ACT_DATE VARCHAR 10 The last activity date of the VOTER record 19 VTR_LAST_NAME VARCHAR 50 Last name 20 VTR_LAST_NAME VARCHAR 50 First name 21 VTR_FIRST_NAME VARCHAR 50 First name 22 VTR_MIDDLE_NAME VARCHAR 50 First name 23 VTR_NAME_SUFFIX VARCHAR 25 Name suffix (JR, SR, III, etc.) 24 VTR_NAME_SUFFIX VARCHAR 10 Date the residence address became applicable 25 VTR_RES_ADDR1 VARCHAR 10 Residential address line 1 26 VTR_RES_ADDR2 VARCHAR 10 Residential address line 1 27 VTR_RES_ADDR3 VARCHAR 10 Residential address line 3 28 VTR_RES_CITY VARCHAR 40 Residential address line 3 29 VTR_RES_CITY VARCHAR 10 Residential address line 3 30 VTR_RES_CITY VARCHAR 10 Residential address line 3 31 VTR_RES_CITY VARCHAR 10 Residential address line 3 32 VTR_RES_CITY VARCHAR 10 Residential address line 3 34 VTR_MAIL_EROM_DATE VARCHAR 10 Residential address line 3 35 VTR_MAIL_ADDR1 VARCHAR 10 Residential address line 3 36 VTR_MAIL_ADDR2 VARCHAR 10 Residential address line 3 37 VTR_MAIL_ADDR2 VARCHAR 10 Residential address line 3 38 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 1 39 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 3 39 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 3 30 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 3 31 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 3 32 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 3 33 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 3 34 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 3 35 VTR_MAIL_AD					·
12 VTR_VOTER_ID VARCHAR 25 The country the voter is registered in, passed from source voter record 14 VTR_COUNTY_ID VARCHAR 25 The country the voter is registered in, passed from source voter record 15 VTR_VOTER_GROUP VARCHAR 25 A county ID, usually only for bottom up states. 15 VTR_VOTER_GROUP VARCHAR 25 A county ID, usually only for bottom up states. 16 VTR_STATUS_CODE CHARACTER 1 A=Active, I=Inactive or C=Canceled. This report only includes A=Active. 17 VTR_REG_DATE VARCHAR 10 The original registration date for the VOTER record 18 VTR_LAST_ACT_DATE VARCHAR 10 The last activity date of the VOTER record 19 VTR_LAST_VOTE_DATE VARCHAR 10 The last activity date of the VOTER record 19 VTR_LAST_NAME VARCHAR 50 The last vote date of the voter record 20 VTR_LAST_NAME VARCHAR 50 First name 21 VTR_FIRST_NAME VARCHAR 50 First name 22 VTR_MIDDLE_NAME VARCHAR 50 First name 23 VTR_NAME_PREFIX VARCHAR 25 "not populated" 24 VTR_NAME_SUFFIX VARCHAR 25 "not populated" 25 VTR_RES_ADDR1 VARCHAR 100 Residential address line 1 26 VTR_RES_ADDR2 VARCHAR 100 Residential address line 2 27 VTR_RES_ADDR3 VARCHAR 100 Residential address line 1 28 VTR_RES_CITY VARCHAR 50 Residential address line 1 30 VTR_RES_ZIP_CODE VARCHAR 10 Residential address line 2 31 VTR_RES_ZIP_CODE VARCHAR 10 Residential istate 32 VTR_RES_COUNTRY VARCHAR 10 Residential istate 33 VTR_RES_COUNTRY VARCHAR 10 Residential IZIP plus-four code 34 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 1 35 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 1 36 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 1 37 VTR_MAIL_TPC_ODE VARCHAR 10 Mailing address line 2 38 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 1 39 VTR_MAIL_FROM_DATE VARCHAR 10 Mailing address line 1 40 VTR_MAIL_TPC_ODE VARCHAR 10 Date the mailing address line 2 41 VTR_MAIL_TPC_ODE VARCHAR 10 Date the mailing address became applicable 42 VTR_MAIL_TPC_ODE VARCHAR 10 Date the mailing address line 2 43 VTR_MAIL_TPC_ODE VARCHAR 10 Date the mailing address line 2 44 VTR_MAIL_TPC_ODE VARCHAR	11	ENT SRC KEY1	VARCHAR		
The county the voter is registered in, passed from source voter record 14 VTR_COUNTY_ID NARCHAR 25 Acounty [b, usually not yfo bottom up states. 15 VTR_VOTER_GROUP VARCHAR 25 This is a grouping for voters such as Military, passed from source voter record 16 VTR_STATUS_CODE CHARACTER 1 The county [b, usually not yfo bottom up states. 17 VTR_REG_DATE VARCHAR 10 The last activity date of the VOTER record 18 VTR_LAST_VOTE_DATE VARCHAR 10 The last stote date of the VOTER record 19 VTR_LAST_VOTE_DATE VARCHAR 50 Last name 20 VTR_LAST_NAME VARCHAR 50 First name 21 VTR_FIRST_NAME VARCHAR 50 First name 22 VTR_MIDDLE_NAME VARCHAR 50 First name 23 VTR_STATUS_CODE VARCHAR 10 Date the residence address became applicable 24 VTR_NAME_SUFFIX VARCHAR 25 Name suffix (JR, SR, III, etc.) 25 VTR_RES_FROM_DATE VARCHAR 10 Residential address line 1 26 VTR_RES_ADDR2 VARCHAR 10 Residential address line 1 27 VTR_RES_ADDR2 VARCHAR 10 Residential address line 1 28 VTR_RES_CITY VARCHAR 50 Residential address line 3 30 VTR_RES_ZIP_CODE VARCHAR 10 Residential address line 3 31 VTR_RES_ZIP_CODE VARCHAR 10 Residential address line 3 32 VTR_RES_COUNTRY VARCHAR 50 Residential address line 3 34 VTR_MAIL_FROM_DATE VARCHAR 10 Mailing address line 1 35 VTR_MAIL_ADDR1 VARCHAR 10 Mailing address line 1 36 VTR_MAIL_LIPA VARCHAR 50 Mailing address line 3 37 VTR_MAIL_ADDR2 VARCHAR 10 Mailing address line 3 38 VTR_MAIL_LIPA VARCHAR 50 Mailing address line 3 39 VTR_MAIL_ZIPA VARCHAR 50 Mailing address line 3 40 VTR_MAIL_ZIPA VARCHAR 50 Mailing address line 3 41 VTR_MAIL_ZIPA VARCHAR 50 Mailing address line 3 42 VTR_MAIL_LIPA VARCHAR 50 Mailing address line 3 43 VTR_MAIL_ADDR2 VARCHAR 10 Mailing address line 3 44 VTR_MAIL_LIPA VARCHAR 50 Mailing address line 3 45 VTR_MAIL_LIPA VARCHAR 50 Mailing address line 3 46 VTR_MAIL_ZIPA VARCHAR 50 Mailing address line 3 47 VTR_MAIL_LIPA VARCHAR 50 Mailing address line 3 48 VTR_MAIL_ZIPA VARCHAR 50 Mailing address line 3 49 VTR_MAIL_ZIPA VARCHAR 50 Mailing address line 3 40 VTR_MAIL_Z	12		VARCHAR	25	
15 VTR_COUNTY_ID VARCHAR 25 A county ID, usually only for bottom up states. 15 VTR_VOTER_GROUP VARCHAR 16 VTR_STATUS_CODE CHARACTER 17 VTR_REG_DATE VARCHAR 10 The last activity date of the VOTER record 18 VTR_LAST_ACT_DATE VARCHAR 10 The last activity date of the VOTER record 19 VTR_LAST_NAME VARCHAR 10 The last activity date of the VOTER record The last vote date of the VOTER record Th			VARCHAR		The county the voter is registered in, passed from source voter record
16 VTR_VOTER_GROUP 16 VTR_STATUS_CODE 17 VTR_REG_DATE 18 VTR_LAST_ACT_DATE 19 VTR_LAST_ACT_DATE 19 VTR_LAST_ACT_DATE 20 VTR_LAST_VOTE_DATE 21 VTR_LAST_VOTE_DATE 22 VTR_LAST_VOTE_DATE 23 VTR_LAST_VOTE_DATE 24 VTR_LAST_VOTE_DATE 25 VTR_RES_DADR 26 VTR_LAST_VOTE_DATE 27 VTR_LAST_VOTE_DATE 28 VTR_LAST_VOTE_DATE 29 VTR_LAST_VOTE_DATE 29 VTR_LAST_VOTE_DATE 20 VTR_LAST_VOTE_DATE 21 VTR_LAST_VOTE_DATE 21 VTR_LAST_VOTE_DATE 22 VTR_LAST_VOTE_DATE 23 VTR_LAST_VOTE_DATE 24 VTR_NAME_SUFFIX 25 VTR_LAST_VOTE_DATE 26 VTR_RES_FROM_DATE 27 VTR_RES_FROM_DATE 28 VTR_RES_FROM_DATE 29 VTR_RES_DADR1 29 VTR_RES_DADR1 29 VTR_RES_DADR3 29 VTR_RES_CITY 20 VTR_RES_STATE 20 VTR_RES_STATE 21 VTR_RES_STATE 22 VTR_RES_STATE 23 VTR_RES_STATE 24 VTR_LAST_VOTE_DATE 25 VTR_RES_CITY 26 VTR_RES_CITY 27 VTR_RES_CITY 28 VTR_RES_CITY 29 VTR_RES_CITY 29 VTR_RES_CITY 29 VTR_RES_CITY 20 VTR_RE	14	VTR COUNTY ID	VARCHAR	25	·
16	15	VTR VOTER GROUP	VARCHAR	25	
17 VTR_REG_DATE VARCHAR 10 The last activity date of the VOTER record 18 VTR_LAST_ACT_DATE VARCHAR 10 The last vote date of the voter record 20 VTR_LAST_NAME VARCHAR 50 The last vote date of the voter record 21 VTR_FIRST_NAME VARCHAR 50 Last name 22 VTR_MIDDLE_NAME VARCHAR 50 History and the last name 23 VTR_NAME_SUFFIX VARCHAR 25 The last vote date of the voter record 24 VTR_NAME_SUFFIX VARCHAR 25 The populated** 25 VTR_RES_FROM_DATE VARCHAR 10 Date the residence address became applicable 26 VTR_RES_FROM_DATE VARCHAR 10 Residential address line 1 27 VTR_RES_DADR1 VARCHAR 10 Residential address line 2 28 VTR_RES_DADR2 VARCHAR 10 Residential address line 2 29 VTR_RES_CITY VARCHAR 50 Residential address line 2 30 VTR_RES_CITY VARCHAR 50 Residential address line 2 31 VTR_RES_ZIP_CODE VARCHAR 10 Residential address line 2 32 VTR_RES_ZIP_CODE VARCHAR 10 Residential address line 2 33 VTR_RES_ZIP_CODE VARCHAR 10 Residential State 34 VTR_MAIL_FROM_DATE VARCHAR 10 Residential ZIP plus-four code 35 VTR_MAIL_ADDR3 VARCHAR 10 Date the mailing address line 1 36 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 2 37 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 2 38 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 3 40 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 2 41 VTR_MAIL_ZIPCODE VARCHAR 10 Mailing address line 2 42 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 2 43 VTR_MAIL_CITY VARCHAR 10 Mailing address line 2 44 VTR_MAIL_ZIPCODE VARCHAR 10 Mailing address line 2 45 VTR_MAIL_COUNTRY VARCHAR 50 Mailing zIP code 46 VTR_MAIL_ZIPCODE VARCHAR 10 Mailing ZIP code 47 DATE_MAIL_FROM_DATE VARCHAR 10 Mailing ZIP code 48 VTR_MAIL_COUNTRY VARCHAR 50 Mailing ZIP code 49 ENT_MAIL_COUNTRY VARCHAR 10 Hailing ZIP code 47 DATE_MAIL_COUNTRY VARCHAR 10 Hailing ZIP code 48 VTR_PHONE_RROM_DATE VARCHAR 10 Hailing ZIP code 49 ENT_PHONE_RROM_DATE VARCHAR 10 Hailing ZIP code 49 ENT_PHONE_RROM_DATE VARCHAR 25 The data source of the matched record. This will always be "SSDM" 47 DATE_MAIL_STONE VARCHAR 25 The matched record's unique keys "SSDM" 4	16	VTR STATUS CODE	CHARACTER	1	A=Active, I=Inactive or C=Canceled. This report only includes A=Active.
18 VTR_LAST_VOTE_DATE VARCHAR 10 The last activity date of the VOTER record 19 VTR_LAST_NAME VARCHAR 10 The last vote date of the voter record 20 VTR_LAST_NAME VARCHAR 50 Last name 21 VTR_FIRST_NAME VARCHAR 50 List name 22 VTR_MIDDLE_NAME VARCHAR 50 WARCHAR 50 WAR	17	VTR REG DATE	VARCHAR	10	·
19 VTR_LAST_VOTE_DATE	18		VARCHAR	10	
20 VTR_IAST_NAME VARCHAR 50					·
21 VTR_RIST_NAME VARCHAR 50 Middle name 22 VTR_NIDDLE_NAME VARCHAR 25 "not populated** 23 VTR_NAME_SUFFIX VARCHAR 25 "not populated** 24 VTR_NAME_SUFFIX VARCHAR 25 "not populated** 25 VTR_RES_FROM_DATE VARCHAR 10 Date the residence address became applicable 26 VTR_RES_ADDR1 VARCHAR 100 Residential address line 1 27 VTR_RES_ADDR2 VARCHAR 100 Residential address line 2 28 VTR_RES_ADDR3 VARCHAR 100 Residential address line 2 30 VTR_RES_CITY VARCHAR 50 Residential address line 3 31 VTR_RES_ZIP_CODE VARCHAR 10 Residential ZIP code 32 VTR_RES_ZIP_CODE VARCHAR 10 Residential ZIP code 33 VTR_RES_ZIP_CODE VARCHAR 10 Residential ZIP code 34 VTR_MAIL_STATE VARCHAR 10 Date the mailing address became applicable 35 VTR_MAIL_ADDR1 VARCHAR 10 Date the mailing address line 1 36 VTR_MAIL_ADDR1 VARCHAR 10 Mailing address line 1 37 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 1 38 VTR_MAIL_TODDR1 VARCHAR 10 Mailing address line 3 39 VTR_MAIL_STATE VARCHAR 10 Mailing address line 1 40 VTR_MAIL_TODDE VARCHAR 10 Mailing address line 1 41 VTR_MAIL_TODDE VARCHAR 10 Mailing address line 3 42 VTR_MAIL_COUNTRY VARCHAR 10 Mailing address line 1 43 VTR_MAIL_COUNTRY VARCHAR 10 Mailing address line 3 44 VTR_MAIL_TODDE VARCHAR 10 Mailing address line 3 45 VTR_MAIL_COUNTRY VARCHAR 10 Mailing address line 3 46 VTR_MAIL_COUNTRY VARCHAR 10 Mailing address line 3 47 VTR_MAIL_COUNTRY VARCHAR 10 Mailing address line 3 48 VTR_MAIL_COUNTRY VARCHAR 10 Mailing ZIP pous-four code 49 VTR_MAIL_COUNTRY VARCHAR 10 Date the email address became applicable 40 VTR_MAIL_COUNTRY VARCHAR 10 Date the email address became applicable 40 VTR_PHONE_FROM_DATE VARCHAR 10 Date the prone number became applicable 41 VTR_EMAIL_FROM_DATE VARCHAR 10 Date the prone number became applicable 42 VTR_PHONE_FROM_DATE VARCHAR 10 Date the prone number became applicable 43 VTR_EMAIL_FROM_DATE VARCHAR 10 Date the prone number became applicable 44 VTR_PHONE_FROM_DATE VARCHAR 10 Date the prone number became applicable 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the prone number became applica					Last name
22 VTR_NIDDLE_NAME VARCHAR 50 Middle name 23 VTR_NAME_PREFIX VARCHAR 25 "not populated*" 24 VTR_NAME_SUFFIX VARCHAR 25 Name suffix (JR, SR, III, etc.) 25 VTR_RES_FROM_DATE VARCHAR 10 Date the residence address became applicable 26 VTR_RES_ADDR1 VARCHAR 100 Residential address line 2 27 VTR_RES_ADDR2 VARCHAR 100 Residential address line 2 28 VTR_RES_CITY VARCHAR 50 Residential address line 3 29 VTR_RES_CITY VARCHAR 50 Residential state 31 VTR_RES_ZIP_CODE VARCHAR 10 Residential state 31 VTR_RES_ZIP_CODE VARCHAR 10 Residential ZIP code 32 VTR_RES_COUNTRY VARCHAR 10 Residential ZIP code 33 VTR_RES_COUNTRY VARCHAR 10 Residential ZIP code 34 VTR_MAIL_FROM_DATE VARCHAR 10 Date the mailing address became applicable 35 VTR_MAIL_ADDR1 VARCHAR 10 Mailing address line 1 36 VTR_MAIL_ADDR2 VARCHAR 10 Mailing address line 2 37 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 2 38 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 2 39 VTR_MAIL_ADDR3 VARCHAR 10 Mailing address line 2 40 VTR_MAIL_STATE VARCHAR 50 Mailing address line 3 41 VTR_MAIL_IP CODE VARCHAR 50 Mailing address line 3 42 VTR_MAIL_CITY VARCHAR 50 Mailing istate 44 VTR_MAIL_IP VARCHAR 50 Mailing istate 45 VTR_MAIL_CIP4 VARCHAR 50 Mailing istate 46 VTR_MAIL_CIP4 VARCHAR 10 Date the email address became applicable 47 VTR_MAIL_DADR1 VARCHAR 10 Mailing istate 48 VTR_MAIL_COUNTRY VARCHAR 50 Mailing istate 49 VTR_MAIL_ADDR VARCHAR 10 Date the email address became applicable 40 VTR_MAIL_DADR VARCHAR 10 Date the email address became applicable 41 VTR_MAIL_SIP4 VARCHAR 10 Date the email address became applicable 44 VTR_MAIL_FROM_DATE VARCHAR 10 Date the email address became applicable 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the email address became applicable 46 VTR_PHONE_FROM_DATE VARCHAR 10 Date the email address became applicable 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM" 49 ENT_SRC_KEY2 VARCHAR 25 The matched record's status code only A=Ctive records					
23 VTR_NAME_SUFFIX VARCHAR 25 **not populated** 24 VTR_NAME_SUFFIX VARCHAR 25 Name suffix (JR, SR, III, etc.) 25 VTR_RES_FROM_DATE VARCHAR 10 Date the residence address became applicable 26 VTR_RES_ADDR1 VARCHAR 100 Residential address line 1 27 VTR_RES_ADDR2 VARCHAR 100 Residential address line 2 28 VTR_RES_ADDR3 VARCHAR 100 Residential address line 3 29 VTR_RES_CITY VARCHAR 50 Residential address line 3 30 VTR_RES_STATE VARCHAR 10 Residential state 31 VTR_RES_ZIP_CODE VARCHAR 10 Residential state 31 VTR_RES_ZIP_CODE VARCHAR 10 Residential county 32 VTR_RES_CIPY VARCHAR 4 Residential ZIP plus-four code 32 VTR_RES_COUNTRY VARCHAR 4 Residential county 34 VTR_MAIL_FROM_DATE VARCHAR 10 Date the mailing address became applicable 35 VTR_MAIL_ADDR1 VARCHAR 10 Mailing address line 1 36 VTR_MAIL_ADDR2 VARCHAR 100 Mailing address line 2 37 VTR_MAIL_ADDR3 VARCHAR 100 Mailing address line 2 38 VTR_MAIL_ADDR3 VARCHAR 100 Mailing address line 2 39 VTR_MAIL_ADDR3 VARCHAR 100 Mailing address line 2 40 VTR_MAIL_STATE VARCHAR 50 Mailing state 40 VTR_MAIL_STATE VARCHAR 50 Mailing state 41 VTR_MAIL_STATE VARCHAR 50 Mailing zitp code 42 VTR_MAIL_COUNTRY VARCHAR 50 Mailing ZIP plus-four code 42 VTR_MAIL_COUNTRY VARCHAR 10 Date the email address became applicable 44 VTR_MAIL_ADDR2 VARCHAR 10 Date the email address became applicable 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the email address became applicable 46 VTR_PHONE_FROM_DATE VARCHAR 10 Date the email address became applicable 47 DSRC_CODE2 VARCHAR 10 Date the phone number became applicable 48 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 49 ENT_SC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's batility type always "SSDM" 49 ENT_SRC_KEY2 VARCHAR 11 The matched record's date of death 40 MCH_STATUS_CODE 41 TL PATCHAR 11 The matched record's date of death					
24 VTR_NAME_SUFFIX VARCHAR 25 Name suffix (JR, SR, III, etc.) 25 VTR_RES_FROM_DATE VARCHAR 100 Date the residence address became applicable 26 VTR_RES_ADDR1 VARCHAR 100 Residential address line 1 27 VTR_RES_ADDR2 VARCHAR 100 Residential address line 2 28 VTR_RES_CITY VARCHAR 50 Residential address line 3 29 VTR_RES_CITY VARCHAR 50 Residential address line 3 30 VTR_RES_STATE VARCHAR 50 Residential address line 3 31 VTR_RES_ZIP_CODE VARCHAR 100 Residential ZIP code 32 VTR_RES_ZIP4 VARCHAR 4 Residential ZIP plus-four code 33 VTR_RES_COUNTRY VARCHAR 50 Residential ZIP plus-four code 34 VTR_MAIL_FROM_DATE VARCHAR 100 Mailing address line 1 35 VTR_MAIL_ADDR1 VARCHAR 100 Mailing address line 1 36 VTR_MAIL_ADDR2 VARCHAR 100 Mailing address line 2 37 VTR_MAIL_ADDR3 VARCHAR 100 Mailing address line 2 38 VTR_MAIL_CITY VARCHAR 50 Mailing city 39 VTR_MAIL_STATE VARCHAR 50 Mailing city 39 VTR_MAIL_STATE VARCHAR 50 Mailing state 40 VTR_MAIL_ZIP_CODE VARCHAR 100 Mailing state 41 VTR_MAIL_ZIP VARCHAR 50 Mailing ZIP plus-four code 42 VTR_MAIL_COUNTRY VARCHAR 50 Mailing ZIP pode 43 VTR_EMAIL_TIPA VARCHAR 50 Mailing ZIP pode 44 VTR_EMAIL_TIPA VARCHAR 100 Date the email address became applicable 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the email address became applicable 46 VTR_PHONE_FROM_DATE VARCHAR 10 Date the email address became applicable 47 VTR_EMAIL_ADDR VARCHAR 10 Date the phone number became applicable 48 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 49 VTR_PHONE_FROM_DATE VARCHAR 25 The matched record. This will always be "SSDM" 47 DSRC_CODE2 VARCHAR 25 The matched record sentity type always "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM" 49 ENT_SRC_KEY2 VARCHAR 25 The matched record's entity type always "SSDM" 50 MCH_STATUS_CODE CHARACTER 1 The matched record's date of death					
25 VTR_RES_FROM_DATE VARCHAR 10 Residential address line 1 27 VTR_RES_ADDR3 VARCHAR 100 Residential address line 2 28 VTR_RES_ADDR3 VARCHAR 100 Residential address line 2 29 VTR_RES_CITY VARCHAR 50 Residential address line 3 29 VTR_RES_CITY VARCHAR 50 Residential address line 3 31 VTR_RES_ZIP_CODE VARCHAR 50 Residential state 31 VTR_RES_ZIP_CODE VARCHAR 10 Residential state 32 VTR_RES_ZIP_CODE VARCHAR 4 Residential ZIP code 32 VTR_RES_ZIP_CODE VARCHAR 50 Residential ZIP plus-four code 33 VTR_RES_COUNTRY VARCHAR 50 Residential ZIP plus-four code 34 VTR_MAIL_FROM_DATE VARCHAR 10 Date the mailing address became applicable 35 VTR_MAIL_ADDR1 VARCHAR 10 Mailing address line 1 36 VTR_MAIL_ADDR1 VARCHAR 100 Mailing address line 2 37 VTR_MAIL_ADDR2 VARCHAR 100 Mailing address line 3 38 VTR_MAIL_CITY VARCHAR 50 Mailing address line 3 39 VTR_MAIL_CITY VARCHAR 50 Mailing address line 3 40 VTR_MAIL_ZIP_CODE VARCHAR 10 Mailing ZIP pode 41 VTR_MAIL_ZIP_CODE VARCHAR 4 Mailing ZIP plus-four code 42 VTR_MAIL_ZIP_A VARCHAR 4 Mailing ZIP plus-four code 43 VTR_MAIL_ZIP_A VARCHAR 10 Date the email address became applicable 44 VTR_MAIL_CITY VARCHAR 50 Mailing colty 45 VTR_MAIL_CIPA VARCHAR 10 Date the email address became applicable 46 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 47 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 48 ETYPE_CODE2 VARCHAR 25 The matched record. This will always be "SSDM" 47 DSRC_CODE2 VARCHAR 25 The matched record is not will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM" 49 ENT_SRC_KEY2 VARCHAR 25 The matched record's entity type always "SSDM" 50 MCH_STATUS_CODE CHARACTER 1 The matched record's date of death					
26 VTR_RES_ADDR1 VARCHAR 100 Residential address line 1 27 VTR_RES_ADDR2 VARCHAR 100 Residential address line 2 28 VTR_RES_ADDR3 VARCHAR 100 Residential address line 2 29 VTR_RES_CITY VARCHAR 50 Residential address line 3 29 VTR_RES_CITY VARCHAR 50 Residential state 31 VTR_RES_ZIP_CODE VARCHAR 50 Residential ZIP code 32 VTR_RES_ZIP_CODE VARCHAR 4 Residential ZIP code 33 VTR_RES_ZIP_A VARCHAR 50 Residential ZIP plus-four code 33 VTR_RES_COUNTRY VARCHAR 50 Residential ZIP plus-four code 33 VTR_RES_COUNTRY VARCHAR 50 Residential Country 34 VTR_MAIL_FROM_DATE VARCHAR 100 Mailing address became applicable 35 VTR_MAIL_ADDR1 VARCHAR 100 Mailing address line 2 36 VTR_MAIL_ADDR2 VARCHAR 100 Mailing address line 2 37 VTR_MAIL_ADDR2 VARCHAR 100 Mailing address line 3 38 VTR_MAIL_CITY VARCHAR 50 Mailing city 39 VTR_MAIL_STATE VARCHAR 50 Mailing state 40 VTR_MAIL_ZIP_CODE VARCHAR 50 Mailing ZIP code 41 VTR_MAIL_ZIP_CODE VARCHAR 4 Mailing ZIP code 41 VTR_MAIL_ZIP_CODE VARCHAR 50 Mailing ZIP plus-four code 42 VTR_MAIL_COUNTRY VARCHAR 50 Mailing ZIP plus-four code 44 VTR_EMAIL_FROM_DATE VARCHAR 10 Date the email address became applicable 44 VTR_EMAIL_ADDR VARCHAR 10 Date the email address 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the email address 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable The next three fields describe what record is being reported as a match. DSRC_CODE2 are always "SSDM" The next three fields describe what record is being reported as a match. DSRC_CODE2 and ETYPE_CODE2 are always "SSDM" The matched record's entity type always "SSDM" The matched record's entity type always "SSDM" The matched record's entity type always "SSDM" The matched record's date of death The matched record's date of death					· · · · · · · · · · · · · · · · · · ·
27 VTR_RES_ADDR2 VARCHAR 100 Residential address line 2 28 VTR_RES_ADDR3 VARCHAR 100 Residential address line 2 29 VTR_RES_CITY VARCHAR 50 Residential address line 3 30 VTR_RES_STATE VARCHAR 50 Residential state 31 VTR_RES_ZIP_CODE VARCHAR 10 Residential ZIP code 32 VTR_RES_ZIP4 VARCHAR 4 Residential ZIP plus-four code 33 VTR_RES_COUNTRY VARCHAR 50 Residential ZIP plus-four code 34 VTR_MAIL_FROM_DATE VARCHAR 10 Date the mailing address became applicable 35 VTR_MAIL_ADDR1 VARCHAR 10 Mailing address line 2 36 VTR_MAIL_ADDR1 VARCHAR 100 Mailing address line 2 37 VTR_MAIL_ADDR3 VARCHAR 100 Mailing address line 2 38 VTR_MAIL_ADDR3 VARCHAR 100 Mailing address line 3 38 VTR_MAIL_CITY VARCHAR 50 Mailing state 40 VTR_MAIL_ZIP_CODE VARCHAR 10 Mailing state 40 VTR_MAIL_ZIP_CODE VARCHAR 10 Mailing zIP code 41 VTR_MAIL_ZIP_CODE VARCHAR 4 Mailing ZIP code 41 VTR_MAIL_COUNTRY VARCHAR 5 Mailing country 43 VTR_EMAIL_COUNTRY VARCHAR 10 Date the email address became applicable 44 VTR_EMAIL_COUNTRY VARCHAR 10 Date the email address became applicable 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the email address became applicable 46 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's unique key. **The MCH_group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's date of death					···
28 VTR_RES_ADDR3 VARCHAR 100 Residential address line 3 29 VTR_RES_CITY VARCHAR 50 Residential city 30 VTR_RES_STATE VARCHAR 50 Residential state 31 VTR_RES_ZIP_CODE VARCHAR 10 Residential ZIP code 32 VTR_RES_ZIP4 VARCHAR 4 Residential ZIP plus-four code 33 VTR_RES_COUNTRY VARCHAR 50 Residential ZIP plus-four code 34 VTR_MAIL_FROM_DATE VARCHAR 10 Date the mailing address became applicable 35 VTR_MAIL_ADDR1 VARCHAR 100 Mailing address line 1 36 VTR_MAIL_ADDR2 VARCHAR 100 Mailing address line 2 37 VTR_MAIL_ADDR3 VARCHAR 100 Mailing address line 3 38 VTR_MAIL_CITY VARCHAR 50 Mailing address line 3 39 VTR_MAIL_STATE VARCHAR 50 Mailing city 39 VTR_MAIL_ZIP_CODE VARCHAR 100 Mailing state 40 VTR_MAIL_ZIP_CODE VARCHAR 100 Mailing ZIP code 41 VTR_MAIL_ZIP_CODE VARCHAR 50 Mailing ZIP plus-four code 42 VTR_MAIL_COUNTRY VARCHAR 50 Mailing Country 43 VTR_EMAIL_ADDR VARCHAR 100 Date the email address became applicable 44 VTR_EMAIL_ADDR VARCHAR 100 Date the email address became applicable 45 VTR_PHONE_FROM_DATE VARCHAR 100 Date the phone number became applicable 46 VTR_PHONE_FROM_DATE VARCHAR 100 Date the phone number The next three fields describe what record is being reported as a match. DSRC_CODE2 and ETYPE_CODE2 are always "SSDM" 47 DSRC_CODE2 VARCHAR 25 The matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM" 49 ENT_SRC_KEY2 VARCHAR 25 The matched record's entity type always "SSDM" 50 MCH_STATUS_CODE CHARACTER 1 The matched record's tatus code, only A=Active records are included 51 MCH_DOD VARCHAR 10 The matched record's date of death			VARCHAR	100	Residential address line 2
29 VTR_RES_CITY VARCHAR 50 Residential city 30 VTR_RES_STATE VARCHAR 50 Residential state 31 VTR_RES_ZIP_CODE VARCHAR 10 Residential ZIP code 32 VTR_RES_ZIP4 VARCHAR 4 Residential ZIP plus-four code 33 VTR_RES_ZIP4 VARCHAR 50 Residential ZIP plus-four code 34 VTR_MAIL_FROM_DATE VARCHAR 10 Date the mailing address became applicable 35 VTR_MAIL_ADDR1 VARCHAR 100 Mailing address line 1 36 VTR_MAIL_ADDR2 VARCHAR 100 Mailing address line 2 37 VTR_MAIL_ADDR3 VARCHAR 100 Mailing address line 3 38 VTR_MAIL_ADDR3 VARCHAR 50 Mailing state 40 VTR_MAIL_STATE VARCHAR 50 Mailing state 40 VTR_MAIL_ZIP_CODE VARCHAR 10 Mailing ZIP code 41 VTR_MAIL_ZIP4 VARCHAR 4 Mailing ZIP code 42 VTR_MAIL_COUNTRY VARCHAR 50 Mailing country 43 VTR_EMAIL_FROM_DATE VARCHAR 10 Date the email address became applicable 44 VTR_EMAIL_FROM_DATE VARCHAR 10 Date the email address became applicable 45 VTR_PHONE_ROM_DATE VARCHAR 10 Date the phone number The next three fields describe what record is being reported as a match. DSRC_CODE2 and ETYPE_CODE2 are always "SSDM" 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record's entity type always "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM" 49 ENT_SRC_KEY2 VARCHAR 25 The matched record's entity type always "SSDM" 50 MCH_STATUS_CODE CHARACTER 1 The matched record's date of death 10 The matched record's date of death	28		VARCHAR	100	Residential address line 3
30 VTR_RES_STATE VARCHAR 50 Residential state 31 VTR_RES_ZIP_CODE VARCHAR 10 Residential ZIP code 32 VTR_RES_ZIP4 VARCHAR 4 Residential ZIP plus-four code 33 VTR_RES_COUNTRY VARCHAR 50 Residential country 34 VTR_MAIL_FROM_DATE VARCHAR 10 Date the mailing address became applicable 35 VTR_MAIL_ADDR1 VARCHAR 100 Mailing address line 1 36 VTR_MAIL_ADDR2 VARCHAR 100 Mailing address line 2 37 VTR_MAIL_ADDR3 VARCHAR 100 Mailing address line 3 38 VTR_MAIL_CITY VARCHAR 50 Mailing city 39 VTR_MAIL_STATE VARCHAR 50 Mailing state 40 VTR_MAIL_ZIP_CODE VARCHAR 10 Mailing zIP code 41 VTR_MAIL_ZIP_CODE VARCHAR 4 Mailing ZIP code 41 VTR_MAIL_COUNTRY VARCHAR 50 Mailing country 43 VTR_EMAIL_FROM_DATE VARCHAR 10 Date the email address became applicable 44 VTR_EMAIL_ADDR2 VARCHAR 10 Email address became applicable 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 46 VTR_PHONE_FROM_DATE VARCHAR 50 Date the phone number became applicable 47 VTR_PHONE_FROM_DATE VARCHAR 50 Date the phone number became applicable 48 ETYPE_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM" 49 ENT_SRC_KEY2 VARCHAR 25 The matched record's unique key. The MCH_group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's date of death 51 MCH_DOD	29			50	Residential city
31 VTR_RES_ZIP_CODE VARCHAR 10 Residential ZIP code 32 VTR_RES_ZIP4 VARCHAR 4 Residential ZIP plus-four code 33 VTR_RES_COUNTRY VARCHAR 50 Residential ZIP plus-four code 34 VTR_MAIL_FROM_DATE VARCHAR 10 Date the mailing address became applicable 35 VTR_MAIL_ADDR1 VARCHAR 100 Mailing address line 1 36 VTR_MAIL_ADDR2 VARCHAR 100 Mailing address line 2 37 VTR_MAIL_ADDR3 VARCHAR 100 Mailing address line 3 38 VTR_MAIL_CITY VARCHAR 50 Mailing city 39 VTR_MAIL_STATE VARCHAR 50 Mailing zite 40 VTR_MAIL_ZIP_CODE VARCHAR 10 Mailing ZIP code 41 VTR_MAIL_ZIP_CODE VARCHAR 4 Mailing ZIP code 42 VTR_MAIL_COUNTRY VARCHAR 50 Mailing country 43 VTR_EMAIL_FROM_DATE VARCHAR 10 Date the email address became applicable 44 VTR_EMAIL_ADDR VARCHAR 10 Date the email address 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 46 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 49 ENT_SRC_KEY2 VARCHAR 25 The matched record's entity type always "SSDM". 40 MCH_STATUS_CODE CHARACTER 1 The matched record's date of death 41 The matched record's date of death 42 The matched record's date of death	30		VARCHAR	50	Residential state
33 VTR_RES_COUNTRY VARCHAR 50 Residential country 34 VTR_MAIL_FROM_DATE VARCHAR 10 Date the mailing address became applicable 35 VTR_MAIL_ADDR1 VARCHAR 100 Mailing address line 1 36 VTR_MAIL_ADDR2 VARCHAR 100 Mailing address line 2 37 VTR_MAIL_ADDR3 VARCHAR 100 Mailing address line 3 38 VTR_MAIL_CITY VARCHAR 50 Mailing city 39 VTR_MAIL_STATE VARCHAR 50 Mailing state 40 VTR_MAIL_ZIP_CODE VARCHAR 10 Mailing ZIP code 41 VTR_MAIL_ZIP4 VARCHAR 4 Mailing ZIP plus-four code 42 VTR_MAIL_COUNTRY VARCHAR 50 Mailing country 43 VTR_EMAIL_FROM_DATE VARCHAR 10 Date the email address became applicable 44 VTR_EMAIL_ADDR VARCHAR 100 Email address 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 46 VTR_PHONE_NUM VARCHAR 50 Phone number The next three fields describe what record is being reported as a match. DSRC_CODE2 are always "SSDM" 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM" 49 ENT_SRC_KEY2 VARCHAR 25 The matched record's entity type always "SSDM" The MCH_group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's status code, only A=Active records are included 51 MCH_DOD VARCHAR 10 The matched record's date of death	31	VTR RES ZIP CODE	VARCHAR	10	Residential ZIP code
33 VTR_RES_COUNTRY VARCHAR 50 Residential country 34 VTR_MAIL_FROM_DATE VARCHAR 10 Date the mailing address became applicable 35 VTR_MAIL_ADDR1 VARCHAR 100 Mailing address line 1 36 VTR_MAIL_ADDR2 VARCHAR 100 Mailing address line 2 37 VTR_MAIL_ADDR3 VARCHAR 100 Mailing address line 3 38 VTR_MAIL_CITY VARCHAR 50 Mailing city 39 VTR_MAIL_STATE VARCHAR 50 Mailing state 40 VTR_MAIL_ZIP_CODE VARCHAR 10 Mailing ZIP code 41 VTR_MAIL_ZIP4 VARCHAR 4 Mailing ZIP plus-four code 42 VTR_MAIL_COUNTRY VARCHAR 50 Mailing country 43 VTR_EMAIL_FROM_DATE VARCHAR 10 Date the email address became applicable 44 VTR_EMAIL_ADDR VARCHAR 100 Email address 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 46 VTR_PHONE_NUM VARCHAR 50 Phone number The next three fields describe what record is being reported as a match. DSRC_CODE2 are always "SSDM" 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM" 49 ENT_SRC_KEY2 VARCHAR 25 The matched record's entity type always "SSDM" The MCH_group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's status code, only A=Active records are included 51 MCH_DOD VARCHAR 10 The matched record's date of death	32	VTR RES ZIP4	VARCHAR	4	Residential ZIP plus-four code
34VTR_MAIL_FROM_DATEVARCHAR10Date the mailing address became applicable35VTR_MAIL_ADDR1VARCHAR100Mailing address line 136VTR_MAIL_ADDR3VARCHAR100Mailing address line 237VTR_MAIL_ADDR3VARCHAR100Mailing city38VTR_MAIL_STATEVARCHAR50Mailing city39VTR_MAIL_STATEVARCHAR50Mailing state40VTR_MAIL_ZIP_CODEVARCHAR10Mailing ZIP code41VTR_MAIL_ZIP4VARCHAR4Mailing ZIP plus-four code42VTR_MAIL_COUNTRYVARCHAR50Mailing country43VTR_EMAIL_FROM_DATEVARCHAR10Date the email address became applicable44VTR_EMAIL_ADDRVARCHAR10Email address45VTR_PHONE_FROM_DATEVARCHAR10Date the phone number became applicable46VTR_PHONE_NUMVARCHAR50Phone numberThe next three fields describe what record is being reported as a match. DSRC_CODE2 and ETYPE_CODE2 are always "SSDM"47DSRC_CODE2VARCHAR25The data source of the matched record. This will always be "SSDM"49ENT_SRC_KEY2VARCHAR25The matched record's entity type always "SSDM".49ENT_SRC_KEY2VARCHAR25The matched record's unique key.The MCH_group of fields provides information the matchingSocial Security Death Master record50MCH_STATUS_CODECHARACTER1 <t< td=""><td>33</td><td></td><td>VARCHAR</td><td>50</td><td>·</td></t<>	33		VARCHAR	50	·
35 VTR_MAIL_ADDR1 VARCHAR 100 Mailing address line 1 36 VTR_MAIL_ADDR2 VARCHAR 100 Mailing address line 2 37 VTR_MAIL_ADDR3 VARCHAR 100 Mailing address line 3 38 VTR_MAIL_CITY VARCHAR 50 Mailing city 39 VTR_MAIL_STATE VARCHAR 50 Mailing state 40 VTR_MAIL_ZIP_CODE VARCHAR 10 Mailing ZIP code 41 VTR_MAIL_ZIP4 VARCHAR 4 Mailing ZIP plus-four code 42 VTR_MAIL_COUNTRY VARCHAR 50 Mailing country 43 VTR_EMAIL_FROM_DATE VARCHAR 10 Date the email address became applicable 44 VTR_EMAIL_ADDR VARCHAR 10 Email address 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 46 VTR_PHONE_NUM VARCHAR 50 Phone number The next three fields describe what record is being reported as a match. DSRC_CODE2 are always "SSDM" 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM" 49 ENT_SRC_KEY2 VARCHAR 25 The matched record's entity type always "SSDM". The matched record's unique key. The MCH_group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's date of death	34	VTR MAIL FROM DATE	VARCHAR	10	Date the mailing address became applicable
37 VTR_MAIL_ADDR3 VARCHAR 100 Mailing address line 3 38 VTR_MAIL_CITY VARCHAR 50 Mailing city 39 VTR_MAIL_STATE VARCHAR 50 Mailing state 40 VTR_MAIL_ZIP_CODE VARCHAR 10 Mailing ZIP code 41 VTR_MAIL_ZIP4 VARCHAR 4 Mailing ZIP plus-four code 42 VTR_MAIL_COUNTRY VARCHAR 50 Mailing country 43 VTR_EMAIL_FROM_DATE VARCHAR 10 Date the email address became applicable 44 VTR_EMAIL_FROM_DATE VARCHAR 10 Email address 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 46 VTR_PHONE_NUM VARCHAR 50 Phone number The next three fields describe what record is being reported as a match. DSRC_CODE2 and ETYPE_CODE2 are always "SSDM" 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM". 49 ENT_SRC_KEY2 VARCHAR 250 The matched record's unique key. The MCH_group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's date of death	35	VTR_MAIL_ADDR1	VARCHAR	100	Mailing address line 1
38 VTR_MAIL_CITY VARCHAR 50 Mailing city 39 VTR_MAIL_STATE VARCHAR 50 Mailing state 40 VTR_MAIL_ZIP_CODE VARCHAR 10 Mailing ZIP code 41 VTR_MAIL_ZIP4 VARCHAR 4 Mailing ZIP plus-four code 42 VTR_MAIL_COUNTRY VARCHAR 50 Mailing country 43 VTR_EMAIL_FROM_DATE VARCHAR 10 Date the email address became applicable 44 VTR_EMAIL_ADDR VARCHAR 100 Email address 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 46 VTR_PHONE_NUM VARCHAR 50 Phone number The next three fields describe what record is being reported as a match. DSRC_CODE2 and ETYPE_CODE2 are always "SSDM" 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM". 49 ENT_SRC_KEY2 VARCHAR 250 The matched record's entity type always "SSDM". The MCH_group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's date of death	36	VTR_MAIL_ADDR2	VARCHAR	100	Mailing address line 2
39 VTR_MAIL_STATE VARCHAR 50 Mailing state 40 VTR_MAIL_ZIP_CODE VARCHAR 10 Mailing ZIP code 41 VTR_MAIL_ZIP4 VARCHAR 4 Mailing ZIP plus-four code 42 VTR_MAIL_COUNTRY VARCHAR 50 Mailing country 43 VTR_EMAIL_FROM_DATE VARCHAR 10 Date the email address became applicable 44 VTR_EMAIL_ADDR VARCHAR 100 Email address 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 46 VTR_PHONE_NUM VARCHAR 50 Phone number The next three fields describe what record is being reported as a match. DSRC_CODE2 and ETYPE_CODE2 are always "SSDM" 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM". 49 ENT_SRC_KEY2 VARCHAR 25 The matched record's entity type always "SSDM". The MCH_group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's date of death	37	VTR_MAIL_ADDR3	VARCHAR	100	Mailing address line 3
39 VTR_MAIL_STATE VARCHAR 50 Mailing state 40 VTR_MAIL_ZIP_CODE VARCHAR 10 Mailing ZIP code 41 VTR_MAIL_ZIP4 VARCHAR 4 Mailing ZIP plus-four code 42 VTR_MAIL_COUNTRY VARCHAR 50 Mailing country 43 VTR_EMAIL_FROM_DATE VARCHAR 10 Date the email address became applicable 44 VTR_EMAIL_ADDR VARCHAR 100 Email address 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 46 VTR_PHONE_NUM VARCHAR 50 Phone number The next three fields describe what record is being reported as a match. DSRC_CODE2 and ETYPE_CODE2 are always "SSDM" 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM". 49 ENT_SRC_KEY2 VARCHAR 25 The matched record's entity type always "SSDM". The MCH_group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's date of death	38	VTR_MAIL_CITY	VARCHAR	50	Mailing city
41 VTR_MAIL_ZIP4 VARCHAR 4 Mailing ZIP plus-four code 42 VTR_MAIL_COUNTRY VARCHAR 50 Mailing country 43 VTR_EMAIL_FROM_DATE VARCHAR 10 Date the email address became applicable 44 VTR_EMAIL_ADDR VARCHAR 10 Email address 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 46 VTR_PHONE_NUM VARCHAR 50 Phone number The next three fields describe what record is being reported as a match. DSRC_CODE2 and ETYPE_CODE2 are always "SSDM" 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM". 49 ENT_SRC_KEY2 VARCHAR 250 The matched record's unique key. The MCH_ group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's date of death	39	VTR_MAIL_STATE	VARCHAR	50	Mailing state
42 VTR_MAIL_COUNTRY VARCHAR 50 Mailing country 43 VTR_EMAIL_FROM_DATE VARCHAR 10 Date the email address became applicable 44 VTR_EMAIL_ADDR VARCHAR 100 Email address 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 46 VTR_PHONE_NUM VARCHAR 50 Phone number The next three fields describe what record is being reported as a match. DSRC_CODE2 and ETYPE_CODE2 are always "SSDM" 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM". 49 ENT_SRC_KEY2 VARCHAR 250 The matched record's unique key. The MCH_ group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's date of death	40	VTR_MAIL_ZIP_CODE	VARCHAR	10	Mailing ZIP code
43 VTR_EMAIL_FROM_DATE VARCHAR 10 Date the email address became applicable 44 VTR_EMAIL_ADDR VARCHAR 100 Email address 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 46 VTR_PHONE_NUM VARCHAR 50 Phone number The next three fields describe what record is being reported as a match. DSRC_CODE2 and ETYPE_CODE2 are always "SSDM" 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM". 49 ENT_SRC_KEY2 VARCHAR 250 The matched record's unique key. The MCH_ group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's date of death	41	VTR_MAIL_ZIP4	VARCHAR	4	Mailing ZIP plus-four code
44 VTR_EMAIL_ADDR VARCHAR 100 Email address 45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 46 VTR_PHONE_NUM VARCHAR 50 Phone number The next three fields describe what record is being reported as a match. DSRC_CODE2 and ETYPE_CODE2 are always "SSDM" 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM". 49 ENT_SRC_KEY2 VARCHAR 250 The matched record's unique key. The MCH_group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's status code, only A=Active records are included 10 MCH_DOD VARCHAR 10 The matched record's date of death	42	VTR_MAIL_COUNTRY	VARCHAR	50	Mailing country
45 VTR_PHONE_FROM_DATE VARCHAR 10 Date the phone number became applicable 46 VTR_PHONE_NUM VARCHAR 50 Phone number The next three fields describe what record is being reported as a match. DSRC_CODE2 and ETYPE_CODE2 are always "SSDM" 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM". 49 ENT_SRC_KEY2 VARCHAR 250 The matched record's unique key. The MCH_ group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's status code, only A=Active records are included 51 MCH_DOD VARCHAR 10 The matched record's date of death	43	VTR_EMAIL_FROM_DATE	VARCHAR	10	Date the email address became applicable
46 VTR_PHONE_NUM VARCHAR 50 Phone number The next three fields describe what record is being reported as a match. DSRC_CODE2 and ETYPE_CODE2 are always "SSDM" 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM". 49 ENT_SRC_KEY2 VARCHAR 250 The matched record's unique key. The MCH_ group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's status code, only A=Active records are included 51 MCH_DOD VARCHAR 10 The matched record's date of death	44	VTR_EMAIL_ADDR	VARCHAR	100	Email address
The next three fields describe what record is being reported as a match. DSRC_CODE2 and ETYPE_CODE2 are always "SSDM" 47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM". 49 ENT_SRC_KEY2 VARCHAR 250 The matched record's unique key. The MCH_group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's status code, only A=Active records are included 51 MCH_DOD VARCHAR 10 The matched record's date of death	45	VTR_PHONE_FROM_DATE	VARCHAR	10	Date the phone number became applicable
47 DSRC_CODE2 VARCHAR 25 The data source of the matched record. This will always be "SSDM" 48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM". 49 ENT_SRC_KEY2 VARCHAR 250 The matched record's unique key. The MCH_ group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's status code, only A=Active records are included 51 MCH_DOD VARCHAR 10 The matched record's date of death					
48 ETYPE_CODE2 VARCHAR 25 The matched record's entity type always "SSDM". 49 ENT_SRC_KEY2 VARCHAR 250 The matched record's unique key. The MCH_ group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's status code, only A=Active records are included 51 MCH_DOD VARCHAR 10 The matched record's date of death					
49 ENT_SRC_KEY2 VARCHAR 250 The matched record's unique key. The MCH_ group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's status code, only A=Active records are included 51 MCH_DOD VARCHAR 10 The matched record's date of death		<u> </u>			
The MCH_ group of fields provides information the matching Social Security Death Master record 50 MCH_STATUS_CODE CHARACTER 1 The matched record's status code, only A=Active records are included 51 MCH_DOD VARCHAR 10 The matched record's date of death		_			· · · · · · · · · · · · · · · · · · ·
50 MCH_STATUS_CODE CHARACTER 1 The matched record's status code, only A=Active records are included 51 MCH_DOD VARCHAR 10 The matched record's date of death					·
51 MCH_DOD VARCHAR 10 The matched record's date of death	_				•
-					· · · · · · · · · · · · · · · · · · ·
52 MUH_LAST_NAME VARUHAR 50 Last name		_			
	52	MICH_LAST_NAME	VARCHAR	50	Last name

1	STATE_CODE	VARCHAR	5	The two digit state code
53	MCH_FIRST_NAME	VARCHAR	50	First name
54	MCH_MIDDLE_NAME	VARCHAR	50	Middle name
55	MCH_NAME_PREFIX	VARCHAR	25	**not populated**
56	MCH_NAME_SUFFIX	VARCHAR	25	Name suffix (JR, SR, III, etc.)
57	NOTICE_DT	TIMESTAMP	10	Date notice was produced
58	VERIF_CODE	VARCHAR	1	V or P code as reported on the Social Security Death Master list
	_			(V)erified = report verified with a family member or someone acting on behalf
				(P)roof = death certificate (or required information) observed